

OFFICE OF THE HEADMASTER PM SHRI GOVT HIGH SCHOOL MINJI KARGIL

E-mail, highschoolminji@gmail.com

School code:24445


UDISE Code: 37080100506

Last three years Result of the Board examination of class x

S.NO	Year	Registered students	No.of students Passed	Pass percentage Remarks
01	2022	46	46	100%
02	2023	43	39	90.69%
03	2024	63	43	68.25%

NO.GHSM/2025/205 Dated: 28/06/26

Headmaster School



OFFICE OF THE HEADMASTER PM SHRI GOVT. HIGH SCHOOL MINJEE

UDISE CODE: 37080100506

e-mail:- highschoolminji@gmail.com

To whome it may concern

Right to Education (RTE) Declaration

I do hereby declare that being a government institution, the school has adopted and follow the norms and standards prescribed in the schedule of the Right of Children to free and compulsory Education Act 2009 of Indian constitution in terms of school admission and academic procedure without any discrimination. The PM Shri GHS Minjee with effect from the commencement of the school.

NO:- GHSM/K/25/200 Date: 3/06/2025

PM Shrighth Minjer Karu

THE ADMINISTRATION OF UNION TERRITORY OF LADAKH LADAKH AUTONOMOUS HILL DEVELOPMENT COUNCIL KARGIL OFFICE OF THE HEADMASTER PM SHRI GOVT. HIGH SCHOOL MINJEE

UDISE CODE: 37080100506 e-mail: highschoolminji@gmail.com School Code: 24445 Aff. No. 3720092

School Management And Development Committee.

S.No.	Name of the Members	Positions
1	Mr. Khadim Hussain (councilor, Baroo-Minjee)	Chairman
2	Mr. Asghar Ali (Parent)	President
3	Mr. Ali Naqi (Sarpanch, Goma Minjee)	Vice President
4	Mr. Mansoor Hussain (Parent)	Member
5	Mr. Hassanain (Parent)	Member
6	Mr. Liagat Ali (Parent)	Member
7	Mrs. Rogia Banoo (Parent)	Gen. Secretary
8	Mehrun Nissa (Master)	Member
9	Zehra Batool (Teacher)	Member
10	Hakima Jabeen (Student)	Member
11	Hakima Banoo (Student)	Member
12	Mr. Iftikhar Hussain (PEM)	Member
13	Mr. Aga Sajjad Hussain (Master)	Member

No:- GHSM/K/25/ 2025 Date: 4/06/2023



The Administration of Union Territory of Ladakh Ladakh Autonomous Hill Development Council Kargil OFFICE OF THE CHIEF EDUCATION OFFICER KARGIL Ph NO:01985232232 Email.ceokargilbaroo@gmail.com

"NO OBJECTION CERTIFICATE"

As requested by the Headmaster Govt.HS Minjee vide letter No:-GHSM/K/25/195 dated:-23-06-2025, this office will have "NO Objection" for affiliation of newly upgraded PM Shri High School Minjee with the Central Board of Secondary Education (CBSE) recently upgraded with the level of Higher Sec.School.

No:- CEO-K/NOC/ 2661- 62

Copy to:

1.Deputy Commissioner/CEO LAHDC (District Magistrate) kargil for favour of information.

Chief Education Officer

2, Headmaster Govt. High school Minjee for information.



DISTRICT WATER TESTING LABORATORY PUBLIC HEALTH ENGINEERING DEPARTMENT

Kargil - 194105 Union Territory – Ladakh Doc. No. DWTL/KGL/7.8/F-01

TEST REPORT

Customer Reference No: Name & Address of Customer: PM SHRI GHS MINJEE 27/06/2025 Date of Issue: Date of Sample Receipt: 28/05/2025 29/05/2025 Analysis Completion Date: Analysis Starting Date: 28/05/2025

Water Chemical Testing Group: Discipline: Satisfactory Mode of Sample: Drinking Water Sample Type: DWTL/KGL/2025-26/28 Sample ID: 13 Test Report No: Minjee Location: Source/ Scheme: Spring

Cindly f No.	nd herewith the Analyti	Unit	IS-10500:2012	2 (2nd	Reference Method:	Analytical Value
NO.	rarameter .	Onit	Revision)		Acceptance of the control of the con	
			Requirement	Permissible	1	
			(Acceptable	Limit in the		
			Limit)	Absence of		
				Alternate		
	100			Source		
				Source		
			Max.	Max.	1	
1.4	Colour	Hazen	5	15	APHA 24th Ed.2023;4500 SO4 -2 E	1 Hazen
14.		Tiazen	Agreeable	Agreeable	IS:3025 (Part-5):2018 (2nd Revision)	Agreeable
15.	Odour	-			IS:3025 (Part-8):1984 (Reaffirmed	Agreeable
16.	Taste	-	Agreeable	Agreeable	2023)	
		NITTL	1	5	APHA 24th Ed.2023;4500 SO4 -2 E	0.2
17.	Turbidity	NTU	1		APHA 24th Ed.2023;4500 SO4 -2 E	7.73
18.	pH at 25°C	-	6.5 to 8.5	No relaxation	APHA 24til Ed.2025,4500 504 2 2	
		- n	500	2000	APHA 24th Ed.2023;4500 SO4 -2 E	21
19.	Total Dissolved	mg/L	300	2000		
	Solids Total Hardness (as	mg/L	200	600	APHA 24th Ed.2023;4500 SO4 -2 E	BLQ
20.	CaCO3)	mg/L			241 5 1 2022 4500 504 2 5	14.42
21.	Calcium (as Ca+2)	mg/L	75	200	APHA 24th Ed.2023;4500 SO4 -2 E	
		mg/L	30	100	APHA 24th Ed.2023;4500 SO4 -2 E	0
22.	Magnesium (as Mg+2)	me				
		/1	250	1000	APHA 24th Ed.2023;4500 SO4 -2 E	7.99
23.	Chloride (as Cl-)	mg/L	230	1000		
		- 0	1	1.5	APHA 24th Ed.2023;4500 SO4 -2 E	0.0031
24.	Fluoride (as F-)	mg/L	·		APHA 24th Ed.2023;4500 SO4 -2 E	12
25.	Total Alkalinity (as	mg/L	200	600	AFFIA 24th Ed.2025,4500 504 -2 E	
	CaCO3)		200	400	APHA 24th Ed.2023;4500 SO4 -2 E	-
26.	Sulphate (as SO42-)	mg/L	200	700		

This Report is issued under the following terms & condition:

The results given above are related to the sample as received and tested in DWTL, KARGIL. Reliability of sample lies with the

sender.

This test report can't be reproduced wholly or in part without written permission of laboratory.

This test report can't be used for any publicity or any legal purpose. This test report can't be used for any publicity or any legal purpose. This test was performed under environmental condition of (Temp. 25 ± 5 °C & Relative humidity (Rh) 30 ± 15 %). The test sample will be disposed off after retention period (10 days) from the date of issue of test report unless until specifically

requested by the customer

Reviewed by: OST

Quality Manger
District Water District Water Testing Laboratory, Karon ...er Tes Kargil.*

Authorized & Issued by:

(Zahra Hatool) Of a 10 Technical Manager District Water Testing Jaboratory,

End of the Test Report

PM SHRI GOVT. HIGH SCHOOL MINJEE KARGIL

Staff staement as it stood on 22.05.2025.

Sr	Name	Designation	Qualification	Date of	Date from	Date of ist
No				birth	which working	apptt.
1	Mohd Issa	Headmaster	B.A.B.Ed	25.07.1970	28.02.2025	15.04.1992
2	Iftikhar Hussain	Master	M.A.Engish B.Ed.	28.02.1972	25.05.2022	05.07.2000
3	Aga Sajjad Hussain	Master	B.A.B.Ed	01.04.1973	20.05.2022	28.02.2002
4	Rubaba Batool	Master	B.Sc.B.Ed	06.03.1973	19.05.2022	15.12.2006
5	Mehrun Nissa	Master	B.A.B.Ed	20.01.1977	19.05.2022	15.12.2006
6	Rehana Perveen	Master	B.A.B.Ed	03.05.1978	20.05.2022	15.12.2006
7	Mukhtar Ahmad Zahid	Teacher	M.A.B.Ed	04.05.1982	16.03.2024	15.12.2006
8	Feroze Husain	Teacher	M.Phil B.Ed	10.01.1980	09.03.2021	26.07.2011
9	Munawar Hussain Khan	Teacher	M.Com.B.Ed	01.09.1985	09.03.2021	12.03.2016
10	Zehra Batool	Teacher	B.Sc.B.Ed	10.09.1994	09.03.2021	12.03.2016
11	Gul Hasnain Bhutoo	Teacher	B.Sc.B.Ed	01.02.1994	13.07.2023	11.11.2020
12	Ummul Banin	Teacher	M.Sc.B.Ed	20.02.1996	09.04.2024	06.04.2024
13	Mohd Hassan	Ar.Tr.	B.A.B.Ed	09.04.1976	06.11.2024	21.10.2017
14	Mohd Hassan	Lab.Astt	Matriculate	06.12.1978	25.04.2023	24.10.2005
15	Mohd Yousuf	Jr.Astt	Matriculate	03.10.1972	01.12.2021	03.10.2012
16	Mohd Ali	Orderly	Matriculate	17.02.1981	20.02.2021	10.01.2013
17	Mohd Gulzar	Orderly	Middle	25.03.1980	17.05.2022	08.01.2021
18	Ahmad Raza	Orderly	Middle	03.03.1994	01.07.2023	09.10.2015
19	Mohd Abass	Orderly	Middle	01.07.1970	14.03.2024	07.03.1989

Submitted in original to the Chief Education Officer Kargil, for favour of information.

Headmaster Govt. High School Minjee

THE ADMINISTRATION OF UNION TERRITORY OF LADAKH LADAKH AUTONOMOUS HILL DEVELOPMENT COUNCIL KARGIL OFFICE OF THE HEADMASTER PM SHRI GOVT. HIGH SCHOOL MINJEE

To whom it may Concern (Right to Education (RTE) Declaration

I do hereby that being a Govt. Institution the school has adopted and follow th norms and standards prescribed in the schedule of the Right of Children to free and compulsory Education Act 2009 of Indian constitution in term of school admission and academic procedure without any discrimination. The Govt. The Govt. High School Minjee Established with effect from.

No:GHSM/Actt-1/

Dated:

:06:2025.

Govt. High School Minjee.

District Water Testing Laboratory, Kargil PUBLIC HEALTH ENGINEERING DEPARTMENT

Baroo, Kargil - 194105 Union Territory - Ladakh

QF No: DWTL/KGL/M/7.8/F-01

Ph. No +916006908120, +919622843993

Email: qmdwtlkgl@gmail.com

WATER ANALYSIS REPORT

Test Report no:- DWTL/KGL/M/TR/13

Date of Issue: 27/06/2025

D. H. D. Harden		Details of Sampling		
•	Sample Particulars:		Spring	
Name of the	PM SHRI GHS MINJEE	Type of Source:-		
Customer:-		Date of Sampling:-	28/05/2025	
Gustomen		Sample Receive Date:-	28/05/2025	
Sample Package Condition:- c) Quantity of Sample Received – 250ml d) Type of Container- Sterile-bottle		Vide letter No.	-	
		Sampling Protocol:-	Sample are collected by field assistant	
		Sample Collected by:-	Lab staff	
		Sample Location:-	Minjeee	

			Bacteriological Test		
	Test Started on:		Test Report	Test Completed on:	
1.	Total Coliform	CFU/100ml	0.0	Shall not be detectable in any 100ml Samples	IS15185:2016 [Membrane Filter
2.	Escherichia coli	CFU/100ml	0.0		Technique Method]
3.	Fecal coliform	CFU/100ml	0.0	Shall not be detectable in any 100ml Samples	IS15185:2016 [Membrane Filter Technique Method]

Note:-

Information on Test Report:

- Results relates only to samples received in the Laboratory.
- The test report shall not be produced except in full without written approval of DWTL Kargil.

Reviewed by:

Authorized & Issued by:

(Zahra Batool) Technical Manager District Water Testing Laboratory, Baroo, Kargil

Quality (Livagut Alighory Quality Manager
Water Testing Laboratory, Baroo, Kargil

*********End of Report*******



THE ADMINISTRATION OF UNION TERRITORY OF LADAKH LADAKH AUTONOMOUS HILL DEVELOPMENT COUNCIL KARGIL OFFICE OF THE TEHSILDAR KARGIL

Subject: - Land Status/ ownership.

As per enquiry conducted by this office through concerned Patwari Halqa it is submitted that the land under Khasra no. 2331/628 measuring 03 kanal 13 marla and 2333/629, 03 marla total land 03 kanal 16 marla situated at village Minji is recorded in the name of Education Department(High School Minji)

The said land has been acquired by the said Department through registered sale deed vide no. 43 and 61 Dated:-03-09-1992.

No: -Teh-K/OQ-523/2021-25

Dated: - 27.06.2025



ACE Scanner

VILLAGE EDUCATION COMMITTEE MINJEE

We have elected a new education committee for the high school Minji and this committee members will take part in every activities and We are requesting the school to also invite the members in the future school decisions.

The name of the members of the committee are mentioned below:

1. Mond Hassanian

2. ASGAR ALI -

4. GHULAM MOHO Chmoby

5. MOHO IABAL

6. SAJJAD HUSSAIN

7. SHABBIR HUSSAIN

Q. MOHO HASSAN

- BOB2892437

- 6005304498

— 6005690193

- 9469736754

- 4469111 398

On 31 march 2024.

We held a meeting at high school Minji with the parents and decided to make a village education committee in the presence of Aga Syed Sadiq. The committee will operate for 2 years and will address all the issues of the school during that time period. We are requesting the school to also invite the members in the future school decisions.

12.

The name of the members of the committee are mentioned below:

Parents
1. KACHO HAMIO KHAN — LUC
2 Mohd Mussa- Ath
3 29618 Hussim-Holes
4. Mohd. Ali-Rochuluk M
4. Mohd. Ali-Rochellek Mg E7 MOHD SADED
(b) Mong. Hoass Les
D Sulbir Hussnin. Shirt
8) AKhon Salah W31
Mohd Bywhim, menishan
10 Mond Hossey and My
1) Mond Bagil
(7) Hovel Eght
13) Sted Hasson - (Hay

Village Education Committee

1. MoHD HASSNAIN — HARM

2. ASGAR ALI — Jan

3. ALI NAQI — HARM

4. GHULAM MOHD — CLINDER

5. MOHD LOBAL

6. SANJAD HUSSAIN

7. MOHD HASSAIN

9. LIABAT ALI — MARM

10. FATIMA BAGOD

11. HAJI AMINA

THE ADMINISTRATION OF UNION TERRITORY OF LADAKH LADAKH AUTONOMOUS HILL DEVELOPMENT COUNCIL KARGIL OFFICE OF THE HEADMASTER PM SHRI GOVT. HIGH SCHOOL MINJEE

UDISE CODE: 37080100506 e-mail: highschoolminji@gmail.com School Code: 24445 Aff. No. 3720092

School Management And Development Committee.

S.No.	Name of the Members	Positions
1	Mr. Khadim Hussain (councilor, Baroo-Minjee)	Chairman
2	Mr. Asghar Ali (Parent)	President
3	Mr. Ali Naqi (Sarpanch, Goma Minjee)	Vice President
4	Mr. Mansoor Hussain (Parent)	Member
5	Mr. Hassanain (Parent)	Member
6	Mr. Liaqat Ali (Parent)	Member
7	Mrs. Roqia Banoo (Parent)	Gen. Secretary
8	Mehrun Nissa (Master)	Member
9	Zehra Batool (Teacher)	Member
10	Hakima Jabeen (Student)	Member
11	Hakima Banoo (Student)	Member
12	Mr. Iftikhar Hussain (PEM)	Member
13	Mr. Aga Sajjad Hussain (Master)	Member

No:- GHSM/K/25/ 2025 Date: 94/06/2023





THE ADMINISTRATION OF UNION TERRITORY OF LADAKH

Ladakh Autonomous Hill Development Council, Kargil Office Of The Executive Engineer, PWD(R&B) Division Kargil, (Ladakh)

Email: rnb2ndkargil@gmail.com

Headmaster. Govt. High School, Minjee.

R&B-II/Corres/2025 -26/ 3935-36

Dated: 21 . 06 . 2025.

Subject: Building Safety Certificate.

Reference: Your Office letter No. GHSM/ 25/199, Dated: 23-06-2025.

Sir,

In reference to the subject cited above and as per the report submitted by Assistant Executive Engineer, (R&B) Sub-Division -Right, has intimated that the abovementioned building is physically sound and in good condition till date, and is safe for running the institute.

Hence, building safety certificate is issued for favour of further necessary action at your end.

Yours faithfully,

Executive Engineer PW (R&B) Division -Kargil - Ladakh

Copy to the: -

1. Assistant Executive Engineer, (R&B) Sub-Division -Right, for information. This has in reference to his report submitted.

2. Master file.



THE ADMINISTRATION OF UNION TERRITORY OF LADAKH LADAKH AUTONOMOUS HILL DEVELOPMENT COUNCIL KARGIL OFFICE OF THE HEADMASTER PM SHRI GOVT. HIGH SCHOOL MINJEE

Fire Safety undertaking

I Mohd Issa Headmaster of Govt. PM Shri High School Minjee pledge that we have applied for Fire Safety Certificate from the office Fire and Emergency Service, UT Ladakh. Our school was last inspected for Fire Safety and Security on 26,06.2025.

Assured that the above mentioned fire safety certificate will be obtained in the near future and submitted in due course of time. In the meanwhile the whole responsibility of the safety and security of staff and students will be on the undersigned therefore, being a regular category school it may be provisionally provided.

No:GHSM/Actt-1/

Dated:

:06:2025.

Headmaster Sign

Headmaster Name:

Mohd Issa

350 00000

School Address:

Minjee

Date:

28.06.2025.

Place:

Minjee

